UNCLASSIFIED

AD 409 823

DEFENSE DOCUMENTATION CENTER

FOR

SCIENTIFIC AND TECHNICAL INFORMATION

CAMERON STATION, ALEXANDRIA, VIRGINIA



UNCLASSIFIED

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

OFFICE OF NAVAL RESEARCH Contract Nonr 2687(00) Task No. NR 356-408

TECHNICAL REPORT NO. 38

A New Class of Double-Bridged Coordination.

Polymers Based On Chromium(III)

by

A. J. Saraceno and B. P. Block

Accepted by the Journal of the American Chemical Society

PENNSALT CHEMICALS CORPORATION Research and Development Department Wyndmoor, Pennsylvania

June 1963

Reproduction in whole or in part is permitted for any purpose of the United States Government

A New Class of Double-Bridged Coordination Polymers Based on Chromium(III)

Sir:

Earlier reports from this laboratory have concerned the preparation of coordination polymers of types which we write symbolically as $[\underline{M(AB)X_2}]_n^{(1)}$ and $[\underline{MX_2}]_n^{(2)}$ where \underline{AB} represents a uninegative bidentate ligand and \underline{X} repre-

- 1. B.P. Block, J. Simkin, and L.R. Ocone, J.Am. Chem. Soc. 84, 1749 (1962).
- B.P. Block, S.H. Rose, C.W. Schaumann, E.S. Roth, and J. Simkin, <u>Ibid.</u> 3200.

sents a uninegative bridging group. We now wish to report a third class, $[\underline{M(a)(b)X_2}]_n, \text{ where } \underline{a} \text{ represents a neutral unidentate ligand and } \underline{b} \text{ a uninegative ligand}. The preparation of this new class differs in method from that in the earlier series and appears to lead to polymers with substantially higher molecular weight than we have found for the other two types. The non-bridging ligands <math>\underline{a}$ and \underline{b} are inorganic, so that this material is an example of a coordination polymer which in addition to its inorganic backbone has inorganic blocking groups in the repeating unit.

The synthesis is a two-step process in which chromium(II) acetate is treated with a potassium phosphinate (KOPR₂O) to yield the corresponding chromium(II) phosphinate (R=C₆H₅, I). The latter is then oxidized with air in the presence of water to yield the composition Cr(H₂O)(OH)(OPR₂O)₂ (R=C₆H₅, II) which has polymeric properties. II has been prepared by these reactions under a variety of conditions, but here we will only describe a set of conditions which gives a product exhibiting a high intrinsic viscosity in chloroform.

A suspension of 2.7 g. of freshly prepared Cr(OAc)₂·H₂O in 125 ml. of deoxygenated water is refluxed under nitrogen with stirring for 1 hr. After the addition of a deoxygenated solution of $KOP(C_6H_5)_2O$ (prepared by the exact neutralization of 8.0 g. of $(C_6H_5)_2P(O)OH$ with 1 M. KOH) without exposure to air, the refluxing is continued for 2-3 hr. under nitrogen. The precipitated intermediate I is then separated by filtration at room temperature and washed several times with deoxygenated water, all operations being conducted under nitrogen. I is next dispersed in 500 ml. of water and oxidized to II by exposure to the atmosphere. After crude II has been removed by filtration, washed thoroughly with water, and dried at 100°, it is dissolved in benzene. The resulting solution is then separated from the small quantity of benzene insolubles (less than 0.3 g.) by filtration and evaporated at room temperature in a stream of nitrogen to yield II. Final drying is at 120°. Anal. Calcd. fc C₁₂H₁₃CrO₆P₂: C, 55.25%; H, 4.43%; Cr, 10.0%; P, 11.88%. Found: C, 56.39%; H, 4.36%; Cr, 9.7%; P, 11.93%. Yields vary from 70 to 95%. The intrinsic viscosity of II prepared in this manner is 0.6 to 0.7 in chloroform. Less rigorously controlled conditions lead to polymers with intrinsic viscosities from 0.1 to 0.5. Even unfractionated samples with intrinsic viscosities in the range 0.12 to 0.20 have number average molecular weights greater than 10,000 as determined by ebulliometry and vapor pressure osmometry in chloroform. Consequently the higher-viscosity samples certainly have molecular weights of at least several tens of thousands.

Although any of the groups present in $\overline{\text{II}}$ could serve as bridging groups, the most probable structure contains a double-bridged backbone similar to that suggested for $\text{Cr}(\text{AcCHAc})(\text{OP}(\text{C}_6\text{H}_5)_2\text{O})_2^1$ except that a disconfiguration is not required. The infrared spectrum of $\overline{\text{II}}$ contains absorption peaks characteristic of PO_2 stretching with virtually the same frequency and absorption profile as found for polymeric $\text{Cr}(\text{AcCHAc})(\text{OP}(\text{C}_6\text{H}_5)_2\text{O})_2^1$. This is strong evidence that the diphenylphosphinate anion is functioning in the same way in both polymers. Furthermore, the hydroxyl group and the water O-H stretching vibrations can be identified separately at frequencies which suggest they are normally coordinated groups. Thus infrared indicates that the hydroxyl groups are not bridging groups. The solubility of $\overline{\text{II}}$ in benzene or chloroform accompanied by marked swelling and the high intrinsic viscosity values are good evidence for the presence of linear chains as the predominating species with cross-linking only of minor importance. The indications are, then, that the repeat unit is

Thermogravimetric analysis of II shows initial weight loss at 375° with a step in the 410-430° region which corresponds to a 3-10% weight loss. No

polymer melt temperature has been observed up to or well beyond the decomposition point. Surprisingly the polymer shows remarkable resistance to hydrolysis and other chemical degradation. For example, no change in intrinsic viscosity is observed upon refluxing a suspension of the polymer in water for several hours. A cast film of high-viscosity II plasticized with 30% Aroclor 1254 has a tensile strength of over 1900 p.s.i.

In addition to the diphenyl species described here we have also been able to prepare the analogues with phenylmethylphosphinate, dimethylphosphinate, and cacodylate bridging groups. The mechanism by which this kind of polymer forms is not clear. It would appear that the intermediate L could be a polymer somewhat analogous to the phosphinate polymers involving zinc, beryllium, and cobalt². The oxidation step then may merely serve to increase the oxidation state of the chromium and introduce the additional ligands. Alternatively polymerization may be involved in the oxidation step.

Acknowledgment. This investigation was supported in part by the Office of Naval Research. We are indebted to several of our colleagues for assistance with various experiments. Analytical data were supplied by our Analytical Department.

Research and Development Department Pennsalt Chemicals Corporation Wyndmoor, Pennsylvania A.J. Saraceno

B.P. Block

NR 356-408 Contract No. Nonr 2687 (00) No. of Coples No. of Coples U.S. Army Chemical Research and Professor A.R. von Hippel Commanding Officer Department of Physics Development Laboratories, Technical Library Office of Naval Research Branch Off. The John Crerar Library Building Massachusetts Institute of Army Chemical Center, Maryland (1) Technology 86 East Randolph Street Cambridge 38, Massachusetts (1)Office of Technical Services Chicago 1, Illinois (1) Department of Commerce Washington 25, D.C. Dr. S. Young Tyree, Jr. Department of Chemistry University of North Carolina (1) Commanding Officer Office of Naval Research Branch Off. 346 Broadway New York 13, New York Dr. P. A. Miller Office of Naval Res. Br. Off. Chapel Hill, North Carolina (1) (1) 1000 Geary Street San Francisco 9, California Dr. J.C. Bailar, Jr. Department of Chemistry University of Illinois (1) Commanding Officer Office of Naval Research Branch Off. 1030 East Green Street Dr. C. Haber (2) Urbana, Illinois Naval Ordnance Laboratory Pasadena 1, California (1) Corona, California (1) Dr. A.B. Burg Department of Chemistry University of Southern Calif. Commanding Officer
Office of Naval Research Branch Off. Dr. Porter W. Erickson Chemistry Research Department
Non-Metallic Materials Division Box 39 Navy #100 Fieet Post Office New York, New York (2) Los Angeles 7, California Room 4-171 Naval Ordnance Laboratory Dr. L. F. Audrieth Department of Chemistry University of Illinois (1) Director, Naval Research Lab. White Oak, Maryland Washington 25, D.C.
Attn: Technical Information Officer
Chemistry Division (2) Urbana, Illinois Dr. Albert Lightbody Naval Ordnance Laboratory White Oak, Maryland (1) Dr. R. Pepinsky Crystallographic Lab. Department of Physics Chief of Naval Research Naval Ordnance Test Station Department of the Navy Penna. State University China Lake, California Attn; Head, Chemistry Division Washington 25, D.C. Attn: Code 425 University Park, Pennsylvania (1) (10) Code 40 Code 50 Technical Director Dr. O. Williams Research & Eng'g. Division
Off. of the Quartermaster Gen'l
Department of the Army Commanding Officer and Director U.S. Naval Civil Engineering Lab. National Science Foundation Washington 25, D.C. (1) Port Hueneme, California Attn: Chemistry Division (1) (1) Washington 25, D.C. Dr. J. F. Pask Director of Mineral Technology DDR&E A. L. Powell University of California Berkeley, California Technical Library Office of Naval Research Br. Off. Room 3G-128, The Pentagon Washington 25, D. C. (1) 495 Summer Street Boston 10, Massachusetts (1) (1) Dr. A. T. Gwathmey Department of Chemistry Research Director Clothing & Organic Materials Division Quartermaster Research & Engineering Command Arronautical Systems Division University of Virginia Charlottesville, Virginia ASRCNP Wright-Patterson Air Force Base Ohio (1) U. S. Army Natick, Massachusetts (1) (1) Dr. J. R. Goldsmith Air Force Director, Naval Research Lab. Department of Geology Off. of Scientific Res. (SRC-E) University of Chicago Chicago 35, Illinois (1) Washington 25, D.C. (i) Commanding Officer Diamond Ordnance Fuze Labs.
Washington 25, D.C.
Attn: Tech. Information Office Dr. Riley Schaeffer Department of Chemistry Indiana University Bloomington, Indiana (1) Branch 012 (1) Dr. T. G. Fox, Director of Research Mellon Institute, 4400 Fifth Avenue Pittsburgh 13, Pennsylvania Dr. H. C. Clark Office, Chief of Research & Development Department of Chemistry University of British Columbia Department of the Army Washington 25, C. D. Vancouver, British Columbia Attn: Physical Sciences Division (11 Aircraft Industries Association CANADA (1) 7660 Beverly Boulevard Los Angeles 36, California Attn: Mr. H. D. Moran Dr. E. G. Rochow Department of Chemistry Chief, Bureau of Ships. (10) Department of the Navy Washington 25, D.C. Attn: Code 342C Harvard University Chief, Bureau of Ships Cambridge 38, Massachusetts (1) Department of the Navy Washington 25, D. C. Attn: Code 660L (2) (1) Code 634C Dr. H. T. Smyth (1) School of Ceramics Chief. Bureau of Naval Weapons Mr. E.J. Hrycklewicz Rutgers - The State University Department of the Navy Washington 25, D.C. American Potash' & Chem. Corp. New Brunswick, New Jersey (1) 201 W. Washington Blvd. Whittier, California Attn: Dr. W.S. Emerson Attn: Technical Library Code: RRMA-3 (3) (i) Dr. John E. Leffler (2) Department of Chemistry Florida State University ASTIA U.S. Borax Research Corp. (1) Tallahassee, Florida Document Service Center Anaheim, California Attn: Dr. Carl Randolph Arlington Hall Station Arlington 12, Virginia (2) Dr. William N. Lipscomb (10) Department of Chemistry Harvard University General Electric Company Director of Research U.S. Army Signal Research & Development Laboratory (1) Fort Monmouth, New Jersey (1) Research Laboratory Cambridge 38, Massachusetts (1) Attn: Dr. J. R. Elliot P.O. Box 1088 Dr. T. D. Parsons (2) Schenectady, New York Department of Chemistry Oregon State College Naval Radiological Defense Lab. San Francisco 24, California Attn: Technical Library Dr. P.D. George General Electric Company General Engineering Laboratory Schenectady, New York (1) (1) Corvallis, Oregon Dr. L. F. Rahm (2) Stanford Research Institute Princeton Plastics Laboratory Menlo Park, California Attn: Mr. Maurice L. Huggins Boeing Airplane Company (1) Princeton University Wichita 1, Kansas Attn: Library (1) Princeton, New Jersey (1) Commanding Officer Army Research Office Box CM, Duke Station Durham, North Carolina Dr. A. V. Tobolsky Dr. Hans B. Jonassen Department of Chemistry Department of Chemistry Princeton University (1) Attn: Scientific Synthesis Office Tulane University New Orleans 15, Louisiana (1) Princeton, New Jersey (1) Brookhaven National Laboratory Chemistry Department Dr. R. S. Stein Department of Chemistry University of Massachusetts Dr. Henry Taube (1) Unton, New York Department of Chemistry

(1)

Stanford University

Stanford, California

(1)

Amherst, Massachusetts

Atomic Energy Commission

(1)

Division of Research

Washington 25, D. C.

Chemistry Programs

Contract No. Nonr 2687 (00)

NR 356~408

	Contra
	o. of Coples
Atomic Energy Commission Division of Technical Information Extension	
Post Office Box 62 Oak Ridge, Tennessee	(1)
Plastics Technical Evaluation Cent Picatinny Arsenal Dover, New Jersey	er (1)
John I. Thompson & Co. 1118 -22nd St., N.W. Washington, D.C. Attn: Mr. Carl A. Posey	{1}
Dr. M. S. Cohen, Chief Propellants Synthesis Section Reaction Motors Division Denville, New Jersey	(1)
Dr. M.J.S. Dewar Department of Chemistry University of Chicago Chicago 37, Illinois	(1)
Commanding Officer Ordnance Materials Res. Office Watertown Arsenal Watertown 72, Mass.	
Attn: RPD Commanding Officer	(1)
Rock Island Arsenal Rock Island, Illinois Attn: Mr. R. Shaw, Laboratory	(1).
Monsanto Research Corporation Everett Station Boston 49, Mass. Attn: Librarian	(1)
Dr. T. L. Heying Organics Division Olin Mathleson Chemical Corporat 275 Winchester Avenue New Haven, Connecticut	lon (1)
Dr. W. S. Pyfe Department of Geology University of California Berkeley, California	(1)
New York Naval Shipyard Material Laboratory Brooklyn 1, N. Y. Attn: Mr. B. B. Simms	(1)
Professor R. S. Nyholm University College London, Department of Chemistry Gower St., WCl	
London, England Monsanto Research Corporation	(1)
1515 Nicholas Road Dayton, Ohio Attn: Librarian Mr. G. W. Harding	(1)
Materials Officer Defense Research Staff British Embassy 3100 Massachusetts Ave., N.W. Washington 8, D.C.	(1)
Dr. Roald Hoffman Department of Chemistry Harvard University Cambridge 38, Mass.	(1)
The Dow Chemical Co. ARPA Laboratory 1710 Building Midland, Michigan	(1)
Naval Ordnance Test Station China Lake, California Attn: Code 4544 (Dr. Kaufinan) Code 5557 (Mr. S. H. Herz	(1)
Code 5557 (Mr. S. H. Herz Mr. R.J. Landry	og (1)